ELSEVIER

Wear 221 (1998) 141

WEAR

Author Index of Volume 221

Arnell, R.D., 37

Bastias, P.C., 69
Bhowmick, A.K., 15

Celis, J.-P., 124

Dall'O, H.A., 69
De Wit, E., 124
Dommarco, R.C., 69

Fang, L., 55
Farris, T.N., 24
Fernandez, I., 93
Froyen, L., 124

Gany, A., 109
Gao, Y., 55

Hahn, G.T., 69

Jun, Z., 9

Kovacevic, R., 47

Lathabai, S., 93
Leheup, E.R., 86
Lepper, K., 134
Li, D.Y., 116
Liu, J., 47

Majumder, P.S., 15
Moon, J.R., 86

Ottmüller, M., 93

Qingwen, Q., 9

Ren, L.-Q., 37
Rigney, D.A., 134
Rosenband, V., 109
Rubin, C.A., 69

Schneebaum, Y., 109
Si, S., 55
Sung, H.C., 77
Szolwinski, M.P., 24

Taylor, C.M., 1
Tevrüz, T., 61
Tong, J., 37

Wang, Y., 47

Yahong, H., 9

Zhang, D., 86
Zhou, Q., 55

Elsevier Science S.A.

ELSEVIER

Wear 221 (1998) 143–144

WEAR

Subject Index of Volume 221

Accelerated wear test
Tribological characteristics of various surface coatings for rotary compressor vane, 77
Adhesion
Dry sliding wear behaviour of bamboo, 37
Adsorbent layer
An adsorbent layer model for thin film lubrication, 9
Alternative refrigerant rotary compressor
Tribological characteristics of various surface coatings for rotary compressor vane, 77
Austempered Ductile Iron (ADI)
Rolling Contact Fatigue (RCF) resistance of Austempered Ductile Iron (ADI), 69

Bamboo
Dry sliding wear behaviour of bamboo, 37
Bearing
Tribological behaviours of carbon filled polytetrafluoroethylene (PTFE) dry journal bearings, 61

Cast irons
Effect of graphitized cast irons hardness on wear of ceramics, 55
Ceramics
Effect of graphitized cast irons hardness on wear of ceramics, 55
Clearance ratio
An adsorbent layer model for thin film lubrication, 9
Coating
Tribological characteristics of various surface coatings for rotary compressor vane, 77
Coating microstructure
Solid particle erosion behaviour of thermal sprayed ceramic, metallic and polymer coatings, 93
Composite material
Dry sliding wear behaviour of bamboo, 37
Compositional analysis
Application of EDS peak enhancement ratios for compositional analysis of microstructures evolved during sliding wear, 134
Contact fatigue
Rolling Contact Fatigue (RCF) resistance of Austempered Ductile Iron (ADI), 69

Density
Fretting wear of sintered iron under low normal pressure, 86
Differential scanning calorimetry (DSC)
The crystallization of amorphous debris on titanium nitride coatings influenced by sliding wear conditions, 124
Durability
Automobile engine tribology—design considerations for efficiency and durability, 1

EDS
Application of EDS peak enhancement ratios for compositional analysis of microstructures evolved during sliding wear, 134
Efficiency
Automobile engine tribology—design considerations for efficiency and durability, 1
Electron beam
Friction behaviour of electron beam modified ethylene–propylene diene monomer rubber surface, 15
Electron scanning microscopy
Rolling Contact Fatigue (RCF) resistance of Austempered Ductile Iron (ADI), 69
EPDM
Friction behaviour of electron beam modified ethylene–propylene diene monomer rubber surface, 15
Erosion mechanisms
Solid particle erosion behaviour of thermal sprayed ceramic, metallic and polymer coatings, 93

Fretting
Observation, analysis and prediction of fretting fatigue in 2024-T351 aluminum alloy, 24
Fretting wear of sintered iron under low normal pressure, 86
Friction
Friction behaviour of electron beam modified ethylene–propylene diene monomer rubber surface, 15
Tribological behaviours of carbon filled polytetrafluoroethylene (PTFE) dry journal bearings, 61
Friction fatigue
Observation, analysis and prediction of fretting fatigue in 2024-T351 aluminum alloy, 24

Hertz stress
Rolling Contact Fatigue (RCF) resistance of Austempered Ductile Iron (ADI), 69

Irradiation
Friction behaviour of electron beam modified ethylene–propylene diene monomer rubber surface, 15

Laser surface modification
Mechanism of surface modification of CeO_2 in laser remelted alloy spray coatings, 47

Martensitic transformation
A new type of wear-resistant material: pseudo-elastic TiNi alloy, 116
Microslip
Observation, analysis and prediction of fretting fatigue in 2024-T351 aluminum alloy, 24
Microstructures
Application of EDS peak enhancement ratios for compositional analysis of microstructures evolved during sliding wear, 134

Natural biomaterial
Dry sliding wear behaviour of bamboo, 37
NBR
Friction behaviour of electron beam modified ethylene–propylene diene monomer rubber surface, 15
NR
Friction behaviour of electron beam modified ethylene–propylene diene monomer rubber surface, 15

Elsevier Science S.A.

Oxidation and carborization
Some thermodynamic aspects related to steel reactive erosion, 109

Peak enhancement
Application of EDS peak enhancement ratios for compositional analysis of microstructures evolved during sliding wear, 134
Phase transitions
The crystallization of amorphous debris on titanium nitride coatings influenced by sliding wear conditions, 124
Polyfunctional monomer
Friction behaviour of electron beam modified ethylene–propylene diene monomer rubber surface, 15
Polytetrafluoroethylene bearing
Tribological behaviours of carbon filled polytetrafluoroethylene (PTFE) dry journal bearings, 61
Pseudo-elasticity
A new type of wear-resistant material: pseudo-elastic TiNi alloy, 116
PTFE bearing
Tribological behaviours of carbon filled polytetrafluoroethylene (PTFE) dry journal bearings, 61

Rare earth
Mechanism of surface modification of CeO_2 in laser remelted alloy spray coatings, 47
Rolling Contact Fatigue (RCF)
Rolling Contact Fatigue (RCF) resistance of Austempered Ductile Iron (ADI), 69

SBR
Friction behaviour of electron beam modified ethylene–propylene diene monomer rubber surface, 15
Sintered iron
Fretting wear of sintered iron under low normal pressure, 86
Sliding wear
Dry sliding wear behaviour of bamboo, 37
Application of EDS peak enhancement ratios for compositional analysis of microstructures evolved during sliding wear, 134
Slurry erosion
Solid particle erosion behaviour of thermal sprayed ceramic, metallic and polymer coatings, 93
Solid particle erosion
Solid particle erosion behaviour of thermal sprayed ceramic, metallic and polymer coatings, 93
Splat debonding
Solid particle erosion behaviour of thermal sprayed ceramic, metallic and polymer coatings, 93
Splat fracture
Solid particle erosion behaviour of thermal sprayed ceramic, metallic and polymer coatings, 93
Steel erosion
Some thermodynamic aspects related to steel reactive erosion, 109
Stroke
Fretting wear of sintered iron under low normal pressure, 86
Surface modification
Friction behaviour of electron beam modified ethylene–propylene diene monomer rubber surface, 15

TEM
The crystallization of amorphous debris on titanium nitride coatings influenced by sliding wear conditions, 124
Thermal spray coatings
Solid particle erosion behaviour of thermal sprayed ceramic, metallic and polymer coatings, 93
TiNi alloy
A new type of wear-resistant material: pseudo-elastic TiNi alloy, 116
Tribology
Automobile engine tribology—design considerations for efficiency and durability, 1
Mechanism of surface modification of CeO_2 in laser remelted alloy spray coatings, 47
The crystallization of amorphous debris on titanium nitride coatings influenced by sliding wear conditions, 124

Vane–roller system
Tribological characteristics of various surface coatings for rotary compressor vane, 77
Viscosity
An adsorbent layer model for thin film lubrication, 9
Viscosity ratio
An adsorbent layer model for thin film lubrication, 9

Wear
Tribological behaviours of carbon filled polytetrafluoroethylene (PTFE) dry journal bearings, 61
Some thermodynamic aspects related to steel reactive erosion, 109
A new type of wear-resistant material: pseudo-elastic TiNi alloy, 116
Wear hardness
Effect of graphitized cast irons hardness on wear of ceramics, 55